




4J-13.2 R22



Version 5.3.2

4J-13.2 R22

14.11.2012 /

2 / 4

1x 4J-13.2-40P

-Í ãñ-èù ààì î àä î î éí èäëü î äî äî öäî àäí èä-



4J-13.2 R22


Version 5.3.2

14.11.2012 /

3 / 4

R22  
30.0 kW  
50 Hz / 400 V  
2.0K  
Auto  
15.0°C  
7.0K

T	SST: SCT:	A				B			
		-15.0°C 30.0°C				-15.0°C 35.0°C			
		Qo kW	Pe kW	COP W/W	%	Qo kW	Pe kW	COP W/W	%
1 4J-13.2-40P		30.2	9.49	3.18	100.7	28.5	10.15	2.81	94.9
		30.2	9.49	3.18	100.0	28.5	10.15	2.81	100.0



	A	B
(1)	15.0°C	15.0°C
(3)	106.9°C	115.5°C
(5)	30.0°C	35.0°C
(7)	28.0°C	33.0°C
(8)	15.5°C	20.7°C
(9)	-15.0°C	-15.0°C
(10)	-8.0°C	-8.0°C



“ ”  
-  
R22  
“ ”  
30.0 kW  
50 Hz / 400 V  
- ( ) 2.0K  
- ( ) Auto  
15.0°C  
7.0K

T	SST: SCT:	A	B
		-15.0°C 30.0°C	-15.0°C 35.0°C
-	-	30.2 kW	31.0 kW
-	-	30.2 kW	28.5 kW
-	-	100.7 %	94.9 %
-	-	39.7 kW	38.6 kW
-	-	2.53 kW	2.47 kW
-	-	9.49 kW	10.15 kW
(400V)	-	16.85 A	17.75 A
/	-	3.18	2.81
-	-	585 kg/h	571 kg/h
-	-	106.9 °C	115.5 °C
-	( )	15.5°C	20.7°C