



Rodion



Version 5.3.2

Rodion

17.05.2012 /

2 / 4

4x OSKA8591-K

—Í ããñ-èüããî îããî î î ëí èüüí î ãî ãî öüü ãáí èä—



R717

1340 kW

2900 /min

2.0K

0.0K


5.0K

100%

80.0°C

T	SST: SCT:	A				B					
		-15.0°C 30.0°C				-10.0°C 30.0°C					
		Qo kW	Pw kW	COP W/W	%	-	Qo kW	Pw kW	COP W/W	%	-
		1321	347	3.80	98.6		1591	349	4.56	118.7	
1	OSKA8591-K	330	86.9	3.80	25.0		398	87.3	4.56	25.0	
2	OSKA8591-K	330	86.9	3.80	25.0		398	87.3	4.56	25.0	
3	OSKA8591-K	330	86.9	3.80	25.0		398	87.3	4.56	25.0	
4	OSKA8591-K	330	86.9	3.80	25.0		398	87.3	4.56	25.0	

!





R717

1340 kW

2900 /min

2.0K

0.0K

5.0K

100%

80.0°C

A

B

T

SST:
SCT:

-15.0°C
30.0°C

-10.0°C
30.0°C

-

1321 kW
1321 kW
98.6 %
1511 kW
128.7 kW
347 kW
3.80
3819 kg/h
4219 kg/h
400 kg/h
1.98 °C
47.6 °C
153.8 kW
131.7 °C

1591 kW
1591 kW
118.7 %
1811 kW
128.6 kW
349 kW
4.56
4656 kg/h
5055 kg/h
398 kg/h
6.70 °C
52.4 °C
125.2 kW
114.9 °C

-
-

/

LP
HP

ECO

-

-

!